



To

EUROFOAM S.r.l.

Via C. Colombo, 12

Date, 8th October, 2010

TR n° **580_{bis}/2010**

Ref. Your Ref. n°0375/MS-CA dated 01.10.10 20020 LAINATE (MI)

Received 04.10.2010

Start tests 05.10.2010

End tests 07.10.2010 Page 1 of 1

T E S T R E P O R T

Subject: SUITABILITY TO BE USE IN CONTACT WITH FOODS, ACCORDING TO FDA, ON A SAMPLE OF EPDM FOAM RUBBER MARKED "POR/B-BI"

FOAM RUBBER

POR 304/B-BI

Test methods

Requirements

AQUEOUS FOODS

Distilled water at reflux temperature

FDA-Title 21
Parts 170 to 199
Item 177.2600
(e)

Total extractives during the first 7 hours of extraction mg/in² 0,99 max 20

Total extractives during the succeeding 2 hours of extraction mg/in² 0,37 max 1

FATTY FOODS

n.Hexane at reflux temperature

FDA-Title 21
Parts 170 to 199
Item 177.2600
(f)

Total extractives during the first 7 hours of extraction mg/in² 19,00 max 175

Total extractives during the succeeding 2 hours of extraction mg/in² 0,52 max 4

STATEMENT: On the basis of the test results and on the basis of the recipe provided by the Customer, **we certifies** that the EPDM foam rubber marked "POR 304/B-BI" **is in compliance** with the Requirements of the FDA – CFR 21 – Parts 170 to 199 – Item 177.2600 Paragraph (e) and (f) of the contact with aqueous and fatty foods.

The sampling has been carried out by the Customer.

The contained results refer only to the tested sample.

This report cannot be partially reproduced without the laboratory approval.

E. Badomer, **Operator**

F. Negroni, **Director**